

Cetis 



Frank & Ron Hotel-Motel Supply, Inc.
708 Whitney Street
San Leandro, CA 94577
info@motelsupplies.com
888-854-6367

M Series



M Series Standard

Choose single or two-line corded, cordless, analog, or VoIP configurations.

Clear plastic faceplate module protects paper faceplate and facilitates cleaning and maintenance.



Matching trimline available. Supports multiple front/back facing RediDock remote handset kits.

More than just a telephone.

More than just a telephone, M Series establishes a new definition for hotel guest room telephony.

M Series Bluetooth

M Series Bluetooth analog corded phones keep guests connected via Bluetooth pairing to stream sound, place and receive calls over their own cell network, and charge smart devices via built-in USB charging ports. A high performance stereo sound system replaces stand-alone audio playback devices in the room to save space, and empower enhanced guest telephone speakerphone calls and conferencing. Available with 5 or 10 programmable guest service keys, patented OneTouch voice mail retrieval, and a fully integrated plastic silk-screen faceplate module.

M Series Standard

M Series Standard phones are equipped with USB charging ports on the phone and RediDock remote handset kits to support guest smart device charging. Choose single or two-line analog, VoIP, corded, or cordless configurations, with 0, 5, or 10 guest service keys, and 0, 3, or 6 on the RediDock remote handset kit. OneTouch voice mail retrieval automates guest messaging. AutoSync registers RediDock handsets with the base to eliminate connection failures and misplaced handsets. A convenient clear plastic faceplate module encapsulates the printed paper faceplate.

Sophisticated styling. Smart technology.



M Series Bluetooth sound system versus a standard telephone speaker.



Pair smart devices via M Series Bluetooth technology.



OneTouch voice mail retrieval.



USB charging ports for phones and tablets.

M Series Bluetooth Specifications

- Available in single and two-line, corded configurations with matching trimline.
- Bluetooth handset pairing.
- Two high-current USB charging ports support devices up to 2.1 Amp.
- High-fidelity stereo speakers.
- Patented OneTouch voice mail retrieval technology.
- Compatible with all major PBX systems (Siemens, FSK, or Reverse Polarity message light options available).
- Five or ten guest service keys.
- Two 10/100Mb switched Ethernet ports (WAN/LAN) for wired guest connectivity/HSIA.
- Three-way conferencing on two-line models.
- Integrated metallic gray full plastic faceplate for screen printing.
- Choose optional custom color faceplates with screen printing.

Single-Line Analog Corded

M100B5—MA10S5DB
M100B10—MA10S10DB
M100TRM—MA10NT

Two-Line Analog Corded

M200B5—MA20S5DB
M200B10—MA20S10DB
M200TRM—MA20NT

1.8GHz and 1.9GHz versions available.

M Series Standard Specifications

- Available in single and two-line, corded, cordless, analog and VoIP configurations with matching trimline.
- Two high-current USB charging ports (corded).
- Two side-mounted USB charging ports (phone).
- One USB charging port (RediDock).
- Patented OneTouch voice mail retrieval technology.
- Compatible with all major PBX systems (Siemens, FSK, or Reverse Polarity message light options available).
- Five or ten guest service keys on both the phone, and RediDock remote handset.
- AutoSync cordless handset pairing.
- Two 10/100Mb switched Ethernet ports (WAN/LAN) for wired guest connectivity/HSIA.
- Three-way conferencing on two-line models.
- Integrated clear plastic faceplate module for standard customized paper faceplates.

VoIP Part Numbers

Single-Line VoIP Cordless

M103IP5 (1.9GHz)—MV1319S5D
M103IP10 (1.9GHz)—MV1319S10D
M1033IPHDKT (1.9GHz)—MAV1319S3HK
M1036IPKDKT (1.9GHz)—MAV1319S6HK

Two-Line VoIP Cordless

M203IP5 (1.9GHz)—MV2319S5D
M203IP10 (1.9GHz)—MV2319S10D
M2033IPHDKT (1.9GHz)—MAV2319S3HK
M2036IPKDKT (1.9GHz)—MAV2319S6HK

Single-Line VoIP Corded

M100IP5—MV10S5D
M100IP10—MV10S10D
M100IPTRM—MV10NT

Two-Line VoIP Corded

M200IP5—MV20S5D
M200IP10—MV20S10D
M200IPTRM—MV20NT

Analog Part Numbers

Single-Line Analog Cordless

M1035 (1.9GHz)—MA1319S5D
M10310 (1.9GHz)—MA1319S10D
M1033HDKT (1.9GHz)—MAV1319S3HK
M1036HDKT (1.9GHz)—MAV1319S6HK

Two-Line Analog Cordless

M2035 (1.9GHz)—MA2319S5D
M20310 (1.9GHz)—MA2319S10D
M2033HDKT (1.9GHz)—MAV2319S3HK
M2036HDKT (1.9GHz)—MAV2319S6HK

Single-Line Analog Corded

M1005—MA10S5D
M10010—MA10S10D
M100TRM—MA10NT Black

Two-Line Analog Corded

M2005—MA20S5D
M20010—MA20S10D
M200TRM—MA20NT Black

1.8GHz and 1.9GHz versions available.

E Series



Choose single or two-line corded, cordless, analog, or VoIP configurations.

Small is the new big.

Amazingly big on features, yet surprisingly small in size. Teledex E Series phones are 40% smaller than standard guest room telephones, creating an entirely new category in hotel telephony design. E Series flat-panel, compact style adds a touch of elegance to any room without compromising functionality.

Originally styled to meet the limited space and energy requirements aboard cruise ship cabins, E Series micro-footprint phones require minimal surface area on the desk and nightstand. Interior designers appreciate the sophisticated extra-thin, ultra-stylish body while guests enjoy the familiar, comfortable feel of a sleek, modern handset.

Engineered specifically for hospitality applications, E Series phones feature patented OneTouch voice mail technology for hands-free auto-dialing and retrieval, up to 12 guest service keys, and customizable faceplates. Available in single and two-line, analog, VoIP, corded, and cordless configurations.

Give your guests the elegance they deserve.

Micro-footprint. Contemporary design.



Supports multiple handsets per base.



OneTouch voice mail retrieval.



Micro-footprint space-saving design.

E Series Specifications

- Available in single- and two-line, analog, VoIP, corded, and cordless configurations.
- ETrim and RediDock remote cordless handset models available.
- Professional quality speakerphone.
- Patented OneTouch voice mail retrieval technology.
- Multi-function message-waiting indicator compatible with all major PBXs (Siemens, FSK, or Reverse Polarity message light options available).
- Choose up to 7 (VoIP) or 8 (analog) configurable guest service keys.
- Cordless phones support up to three additional handsets per base.
- EasyAccess™ data port.
- Three-way conferencing on two-line models.

VoIP Part Numbers

Single-Line VoIP Cordless

- E103IP (1.9 GHz) - 4 Speed Dials—
EV011319S04D
Black
- E103IP (1.9 GHz) - 7 Speed Dials—
EV011319S07D
Black
- E103IP (1.9 GHz) - RediDock—
EV011319S00H
Black

Two-Line VoIP Cordless

- E203IP (1.9 GHz) - 4 Speed Dials—
EV012319S04D
Black
- E203IP (1.9 GHz) - 7 Speed Dials—
EV012319S07D
Black
- E203IP (1.9 GHz) - RediDock—
EV012319S00H
Black

Single-Line VoIP Corded

- E100IP - 4 Speed Dials—
EV011000S07D
Black
- E100IPTRM—
EV011000S00T
Black
- E100IPLBY - Lobby - 0 Speed Dials—
EV011000N00L
Black

Two-Line VoIP Corded

- E200IP - 4 Speed Dials—
EV012000S07D
Black
- E200IPTRM—
EV012000S00T
Black

Analog Part Numbers

Single-Line Analog Cordless

- E103 (1.9 GHz) - 4 Speed Dials—
EA011319S04D
Black
- E103 (1.9 GHz) - 8 Speed Dials—
EA011319S08D
Black
- E103 (1.9 GHz) - RediDock—
EA011319S00H
Black

Two-Line Analog Cordless

- E203 (1.9 GHz) - 4 Speed Dials—
EA012319S04D
Black
- E203 (1.9 GHz) - 8 Speed Dials—
EA012319S08D
Black
- E203 (1.9 GHz) - RediDock—
EA012319S00H
Black

Single-Line Analog Corded

- E100 - 4 Speed Dials—
EA011000S04D
Black
- E100 - 8 Speed Dials—
EA011000S08D
Black
- E100 - Lobby - 0 Speed Dials—
EA011000N00L
Black
- E100ETRM—
EA011000S00T
Black

Two-Line Analog Corded

- E200 - 4 Speed Dials—
EA012000S04D
Black
- E200 - 8 Speed Dials—
EA012000S08D
Black
- E200TRM—
EA012000S00T
Black

1.8GHz and 2.4GHz versions available.

I Series



Choose single or two-line corded, cordless, analog, or VoIP configurations.



The original small footprint phone.

Teledex I Series (formerly Teledex iPhone®) is the original small footprint telephone built specifically for the hospitality guestroom. Designed to embrace the sleek style of the modern hotel guestroom, I Series provides a familiar user interface for your guests in your choice of single and two-line, analog and VoIP, corded and cordless configurations. Choose 0, 3, 5, or 10 programmable guest service keys, an optional speakerphone, and our patented OneTouch voice mail retrieval technology.

I Series cordless telephones reduce the need for multiple telephone jacks in the guestroom, supporting up to 3 additional AC-powered RediDock charging stations, and providing guests with a cordless home-like environment. Like all of our cordless Teledex phones, I Series phones are also available with optional battery backup for use during power outage situations.

Small footprint. Ergonomic design.



Compact footprint saves on space.



OneTouch voice mail retrieval.



Comfortable ergonomic handset.

I Series Specifications

- Available in single- and two-line, analog, VoIP, corded, and cordless configurations.
- Trimline and RediDock models available.
- Professional quality speakerphone (optional).
- Patented OneTouch voice mail retrieval technology.
- Dual NEON/LED message-waiting indicator compatible with all major PBXs (Siemens, FSK, or Reverse Polarity message light options available).
- Choose up to 11 (VoIP) or 10 (analog) guest service keys.
- Cordless phones support up to three additional handsets per base.
- EasyAccess™ data port.
- Three-way conferencing on two-line models.

VoIP Part Numbers

- Single-Line VoIP Cordless**
NDC2105S (1.9GHz)—
IPN964591P-N Ash,
IPN9645911P-N Black
NDC2110S (1.9GHz)—
IPN965591P-N Ash,
IPN9655911P-N Black
IRD9110 (1.9GHz)—
IPN965591PHKT-N Ash,
IPN9655911PHK-N Black

Two-Line VoIP Cordless

- NDC2205S (1.9GHz)—
IPN984591P-N Ash,
IPN9845911P-N Black
NDC2210S (1.9GHz)—
IPN985591P-N Ash,
IPN9855911P-N Black
IRD9210 (1.9GHz)—
IPN985591PHKT-N Ash,
IPN9855911PHK-N Black

Single-Line VoIP Corded

- ND2105S—
IPN331491P-N Ash,
IPN3314911P-N Black
ND2110S—
IPN333391P-N Ash,
IPN3333911P-N Black

Two-Line VoIP Corded

- ND2205S—
IPN341491P-N Ash,
IPN3414911P-N Black
ND2210S—
IPN343591P-N Ash,
IPN3435911P-N Black

Analog Part Numbers

- Single-Line Analog Cordless**
AC9105S (1.9GHz)—
IPN96459 Ash,
IPN964591 Black
AC9110S (1.9GHz)—
IPN96559 Ash,
IPN965591 Black
RD9110 (1.9GHz)—
IPN96559HDKIT Ash,
IPN965591HDKIT Black

Two-Line Analog Cordless

- AC9205S (1.9GHz)—
IPN98459 Ash,
IPN984591 Black
AC9210S (1.9GHz)—
IPN98559 Ash,
IPN985591 Black
RD9210 (1.9GHz)—
IPN98559HDKIT Ash,
IPN985591HDKIT Black

Single-Line Analog Corded

- A100—
IPN33309 Ash, IPN333091 Black
A101 – Lobby—
IPN33009 Ash, IPN330091 Black
A102—
IPN33039 Ash, IPN330391 Black
A103—
IPN33739 Ash, IPN337391 Black
A105—
IPN33139 Ash, IPN331391 Black
A110—
IPN33239 Ash, IPN332391 Black
A103S—
IPN33749 Ash, IPN337491 Black
A105S—
IPN33149 Ash, IPN331491 Black
A110S—
IPN33339 Ash, IPN333391 Black
AT1101—
IPN33019 Ash, IPN330191 Black
AT1102—
IPN33119 Ash, IPN331191 Black

Two-Line Analog Corded

- A203S—
IPN34749 Ash, IPN347491 Black
A205S—
IPN34149 Ash, IPN341491 Black
A210S—
IPN34359 Ash, IPN343591 Black
AT1201—
IPN34059 Ash, IPN340591 Black
AT1202—
IPN34159 Ash, IPN341591 Black

1.8GHz and 2.4GHz versions available.

Opal Series



Choose single or two-line, corded or cordless analog configurations.



Designed with the world in mind.

Teledex Opal Series telephones have a recognizable international design that complements modern guestroom décor. Available in single and two-line, analog, corded and cordless configurations, with an optional speakerphone, Opal Series are equipped with a red multi-function message-waiting light, and 0, 3, 5, or 10 programmable guest service keys.

Teledex Opal DCT Series cordless sets support up to 3 additional AC-powered RediDock handset charging stations giving your guests the ability to charge their handset from multiple places within the room . . . all without needing additional guestroom telephone jacks. Opal DCT Series cordless phones are also available with optional battery backup during power outages.

International design. Legendary quality.



Cordless RediDock available.

Matching Trimline.

Choose corded or cordless configurations.

Opal Series Specifications

- Single or two-line configuration.
- Professional quality speakerphone (optional).
- Patented OneTouch voice mail retrieval technology.
- Compatible with all major PBX systems.
- Three-way conferencing on two-line models.
- Supports up to five handsets, including one on the base and four remotes.
- AutoSync—handset automatically syncs with base unit when in cradle.
- Optional remote cordless handset battery backup.
- EasyAccess™ data port.
- Up to ten configurable guest service keys.
- Full-length faceplate area

Opal Series Part Numbers

- Single-Line Analog Cordless**
- Opal DCT1905 (1.9GHz)—OPL95149 Ash, OPL951491 Black
 - Opal DCT1910 (1.9GHz)—OPL95339 Ash, OPL953391 Black
 - Opal RD1910 (1.9GHz)—OPL95339HDKIT Ash, OPL953391HDKIT Black

Two-Line Analog Cordless

- Opal DCT2905 (1.9GHz)—OPL97149 Ash, OPL971491 Black
- Opal DCT2910 (1.9GHz)—OPL97339 Ash, OPL973391 Black
- Opal RD2910 (1.9GHz)—OPL97339HDKIT Ash, OPL973391HDKIT Black

Single-Line Analog Corded

- Opal 1001-Lobby—OPL76009 Ash, OPL760091 Black
- Opal 1000—OPL76309 Ash, OPL763091 Black

- Opal 1002—OPL76039 Ash, OPL760391 Black
- Opal 1003—OPL76739 Ash, OPL767391 Black
- Opal 1005—OPL76139 Ash, OPL761391 Black
- Opal 1010—OPL76239 Ash, OPL762391 Black
- Opal 1003S—OPL76749 Ash, OPL767491 Black
- Opal 1005S—OPL76149 Ash, OPL761491 Black
- Opal 1010S—OPL76339 Ash, OPL763391 Black
- Opal Trimline 1—OPL69019 Ash, OPL690191 Black
- Opal Trimline 1 MWL—OPL69119 Ash, OPL691191 Black

Two-Line Analog Corded

- Opal 2006—OPL78039 Ash, OPL780391 Black
- Opal 2011—OPL78259 Ash, OPL782591 Black
- Opal 2006S—OPL78149 Ash, OPL781491 Black
- Opal 2011S—OPL78359 Ash, OPL783591 Black
- Opal Trimline 2—OPL69059 Ash, OPL690591 Black
- Opal Trimline 2 MWL—OPL69159 Ash, OPL691591 Black

1.8GHz and 2.4GHz versions available.

Diamond Series

World's most popular guest room phone.

This is the phone that started it all. In fact more hotels use Teledex Diamond Series than any other guestroom telephone. With over 5 million in service worldwide, this corded analog phone is available in single or two-line models, with up to 10 programmable guest service keys, patented OneTouch voice mail retrieval technology, and an optional speakerphone.

Diamond Series, like all Teledex products, are thoughtfully designed to last for years in the demanding hospitality environment. Expect to see this model in hotel rooms for years to come.

Choose single or two-line corded analog configurations.

Classic design. Millions installed.

Diamond Series Specifications

- Single or two-line configuration.
- Professional quality speakerphone (optional).
- Patented OneTouch voice mail retrieval technology.
- Compatible with all major PBX systems.
- Three-way conferencing on two-line models.
- EasyAccess™ data port.
- Up to ten configurable guest service keys.
- Raised red message-waiting lens that is easily seen.
- Textured finish provides durable resistance against scratches and smudges.
- Full-length faceplate area.

Diamond Series Part Numbers

Single-Line Analog Corded

Diamond Lobby—DIA65009 Ash, DIA650091 Black
Diamond Basic—DIA65309 Ash, DIA653091 Black
Diamond+3—DIA65739 Ash, DIA657391 Black
Diamond+5—DIA65139 Ash, DIA651391 Black
Diamond+10—DIA65239 Ash, DIA652391 Black
Diamond+S-3—DIA65749 Ash, DIA657491 Black
Diamond+S-5—DIA65149 Ash, DIA651491 Black
Diamond+S-10—DIA65339 Ash, DIA653391 Black

Two-Line Analog Corded

Diamond L2-E—DIA67059 Ash, DIA670591 Black
Diamond L2-5E—DIA67159 Ash, DIA671591 Black
Diamond L2-10E—DIA67259 Ash, DIA672591 Black
Diamond L2S-5E—DIA67149 Ash, DIA671491 Black
Diamond L2S-10E—DIA67359 Ash, DIA673591 Black



OneTouch voice mail retrieval.



Classic K-style handset.



Up to 10 guest service keys.

Nugget Series



Choose single-line corded analog configurations.

Designed for tight spaces and tighter budgets.

No frills. No extras. Just a quality guestroom telephone that fits any budget and will leave extra room on your nightstand. Teledex Nugget Series telephones combine classic design, easy-to-use functionality, and rugged durability into a small footprint that makes a large impact.

Equipped with either 0 or 3 programmable guest service keys, a raised red LED message-waiting light, and a dial pad that is tucked away leaving extra room for a customizable faceplate. Nugget Series offers single-line functionality at an affordable price.

Small footprint. Smaller price.



Small footprint.



Choose 0 or 3 guest service keys.



Trimline size with full faceplate area.

Nugget Series Specifications

- Single-line configuration.
- Compatible with all major PBX systems.
- EasyAccess™ data port.
- Zero or three configurable guest service keys.
- Raised red message-waiting lens that is easily seen.
- Textured finish provides durable resistance against scratches and smudges.
- Full-length faceplate area.

Nugget Series Part Numbers

Nugget—NUG31039 Ash, NUG310391 Black
Nugget 3—NUG31739 Ash, NUG317391 Black

9600 Series | 3300 Series

Beautifully engineered.

From bold design, smart features, and legendary performance, TeleMatrix 9600 Series cordless and 3300 Series corded phones make perfect sense for you and your guests. Flat panel design complements the look of flat screen television sets in the room. Choose from 7 standard or custom color handset accents to match any room décor and coordinate style with functionality.

Features include patented OneTouch voice mail technology for hands-free auto-dialing and retrieval, and an integrated Ethernet pass-through port for guest connectivity. AutoSync pairing automatically registers remote 9600 Series cordless handsets with the base unit when in the cradle to avoid failures from misplaced handsets. Our optional battery backup feature also helps assure guest connectivity during power outages.



Choose single or two-line corded, cordless, analog, or VoIP configurations.



Choose 3300TRM analog or 3300IP-TRM VoIP models.



Choose from seven handset insert color options to match your brand, office, or guest room décor.



Bold design. Colorful options.



Supports multiple handsets.



Lobby model available.



Ethernet pass-through on analog and SIP models.



Wired Internet port for guest connectivity.

9600/3300 Series Specifications

- Available in single and two-line, analog and VoIP, and trimline configurations.
- Optional professional quality speakerphone.
- Patented OneTouch voice mail retrieval technology.
- Multi-function message-waiting indicator compatible with all major PBXs. (Neon/LED are standard. Siemens, FSK or reverse polarity optional.)
- Zero, five, or ten configurable guest service keys.
- Cordless phones support up to 3 additional handsets per base.
- Optional remote cordless handset battery backup.
- Handset locator on cordless models.
- Integrated RJ45 Ethernet pass-through for guest connectivity.
- Three-way conferencing on two-line models.
- Non-slip base.

For Colored Accent part numbers, add the following suffixes at the end of the ash or black P/N number.

Orange = ORG / Blue = BLU
Lime = LIM / White = WHI
Gray = GRA / Ochre = OCH
Red = RED

Example: 9602IP-MWD 1.8 ash with red insert = 983591IP-RED

9600 Part Numbers

VoIP
9600IP-MWD5—
96459IP Ash, 964591IP Black
9600IP-MWD—
96559IP Ash, 965591IP Black
9602IP-MWD5—
98459IP Ash, 984591IP Black
9602IP-MWD—
98559IP Ash, 985591IP Black

VoIP Remote Handsets

9600IPHD KIT—
96559IPHDKIT Ash,
965591IPHDKIT Black
9602IPHD KIT—
98559IPHDKIT Ash,
985591IPHDKIT Black

Analog

9600MWD5—
96459-N Ash, 964591-N Black
9600MWD—
96559-N Ash, 965591-N Black
9602MWD5—
98459-N Ash, 984591-N Black

9602MWD—
98559-N Ash, 985591-N Black

Analog Remote Handsets

9600HD KIT—
96559HDKIT-N Ash,
965591HDKIT-N Black
9602HD KIT—
98559HDKIT-N Ash,
985591HDKIT-N Black

1.8GHz and 2.4GHz versions available.

3300 Part Numbers

VoIP
3300IP-MWD5—
33149IP Ash, 331491IP Black
3300IP-MWD—
33339IP Ash, 333391IP Black
3302IP-MWD5—
34149IP Ash, 341491IP Black
3302IP-MWD—
34359IP Ash, 343591IP Black

Analog

3300LBY—
33009 Ash, 330091 Black
3300MWB—
33039 Ash, 330391 Black
3300MW5—
33139 Ash, 331391 Black
3300MW10—
33239 Ash, 332391 Black
3300MWD5—
33149 Ash, 331491 Black
3300MWD—
33339 Ash, 333391 Black
3302MWS—
34049 Ash, 340491 Black
3302MWD5—
34149 Ash, 341491 Black
3302MWD—
34359 Ash, 343591 Black

3300TRM Part Numbers

VoIP
3300IP-TRM—
33119IP Ash, 331191IP Black
3302IP-TRM—
34159IP Ash, 341591IP Black

Analog

3300TRM—
33119 Ash, 331191 Black
3302TRM—
34159 Ash, 341591 Black

3100 Series



Choose single or two-line corded analog configurations.

Curved by design.

An excellent combination of style and economy, TeleMatrix 3100 Series telephones feature a unique sweeping contour design, along with a rich telephony feature set that makes this phone perfect for all of your analog corded guestroom applications.

TeleMatrix 3100 Series phones, familiar to the hospitality industry with a design that sets it apart from your everyday guestroom phone, are available with 0, 5, or 10 programmable guest service keys, an optional speakerphone, a large customizable faceplate area, and patented OneTouch message-retrieval technology.

Elegant contours.
Budget friendly.



OneTouch voice mail retrieval.



Curved handset and body.



Choose 0, 5, or 10 guest service keys.

3100 Series Specifications

- Single or two-line configuration.
- Professional quality speakerphone (optional).
- Patented OneTouch voice mail retrieval technology.
- Compatible with all major PBX systems.
- Three-way conferencing on two-line models.
- EasyAccess™ data port.
- Up to ten configurable guest service keys.
- Full-length faceplate area.
- Industrial grade construction with matte finish design.
- Non-slip base.

3100 Series Part Numbers

Single-Line Analog Corded

3100LBY—31009 Ash, 310091 Black
3100MWB—31039 Ash, 310391 Black
3100MW5—31139 Ash, 311391 Black
3100MW10—31239 Ash, 312391 Black
3100MWD5—31149 Ash, 311491 Black
3100MWD—31339 Ash, 313391 Black

Two-Line Analog Corded

3102MWD5—32149 Ash, 321491 Black
3102MWD—32359 Ash, 323591 Black

Aegis-08 Series



Choose single or two-line corded analog configurations.

Value never looked so good.

Stylish Aegis-08 Series telephones are not only equipped with a range of features normally reserved for much more expensive phones, but are available at competitive price points. These rugged, trouble-free phones have been the standard for economy branded hotels for many years.

Aegis-08 Series analog corded phones are available with 0, 3, 5, or 10 programmable guest service keys, an optional speakerphone, dataport, and our patented OneTouch message retrieval technology.

Trusted brand. Economy pricing.



OneTouch voice mail retrieval.



Up to 10 guest service keys.



Lobby model available.

Aegis-08 Series Specifications

- Single or two-line configuration.
- Professional quality speakerphone (optional).
- Patented OneTouch voice mail retrieval technology.
- Compatible with all major PBX systems.
- Three-way conferencing on two-line models.
- EasyAccess™ data port.
- Up to ten configurable guest service keys.
- Full-length faceplate area.
- Industrial grade construction with matte finish design.
- Non-slip base.

Aegis-08 Series Part Numbers

Single-Line Analog Corded

- Aegis-LB-08 Lobby—80101 Ash, 80102 Black
- Aegis-LBE-08 Emergency—80103 Ash, 80123 Black
- Aegis-P-08—80001 Ash, 80002 Black
- Aegis-3-08—80301 Ash, 80302 Black
- Aegis-5-08—80501 Ash, 80502 Black
- Aegis-10-08—81001 Ash, 81002 Black
- Aegis-PS-08—80011 Ash, 80012 Black
- Aegis-3S-08—88031 Ash, 88032 Black
- Aegis-5S-08—88051 Ash, 88052 Black
- Aegis-10S-08—88101 Ash, 88102 Black

Two-Line Analog Corded

- Aegis-TP-08—89001 Ash, 89002 Black
- Aegis-T5-08—89051 Ash, 89052 Black
- Aegis-T-08—89101 Ash, 89102 Black

Cetis 



Frank & Ron Hotel-Motel Supply, Inc.
708 Whitney Street
San Leandro, CA 94577
info@motelsupplies.com
888-854-6367